	o. of Candidate: _ IISTRY	(Intermediate Part	t-L. Class 11	(th) 322 - ([[])	I) Paper I	(Group - 1)
(*)	20 Minutes	<u>OBJECTIVE</u>			•	
Note: Y	ou have four choices	s for each objective type question number. Usero mark in that question	uestion as A, B se marker or pe	R, C and D. The en to fill the circ	les. Cutting or fil	u think is correct, lling two or more
_	An aqueous soluti (A) equal to that (C) more than the The unit of the rat (A) first Amorphous solids (A) have sharp m (B) undergo clea (C) have perfect (D) can possess s In endothermic rea (A) products is m (C) surroundings	on of ethanol in water may of water at of water at of water the constant is the same as the same at the same as the same at th	(B) (D) that of the rate (C) knife rrangement of the (B) (D)	equal to that of less than that of reaction in zero atoms reactants is more reactants and	of ethanol of water	products
6 -	(A) 7f	(B) 7s me energy are called	(C)		(D) 7d	
7 -	(A) hybrid orbitaSolvent extraction(A) distribution l	ds (B) valence orb is controlled byaw (B) Newton's la	oitals (C)		itals (D) d-or	
8 - 9 -	(A) 1.008 mg VSEPR theory wa	nole of electrons is (B) 0.55 mg as developed by	•	0.184 mg	(D) 1.67	73 mg
	(A) decreases ray An excess of aque	Gillespie s not used between two ha pidly (B) decreases sl cous silver nitrate is added	(D) alf cells, then to lowly (C) to aqueous be	does not chang arium chloride	Gillespie ge (D) drop	s to zero
10	(A) Ag ⁺ and NO (C) Ba ⁺² and NO	O_3^- only	(B) (D)	Ag ⁺ and Ba ⁺² Ba ⁺² and NO		
12 -	(A) is taken in le(B) is taken in le(C) gives the magnetic factoring	at is the one whichesser quantity in gm as contesser quantity in volume and aximum amount of the proinimum amount of the proinimum amount of the proinimum amount of the professional section.	ompared to oth as compared to oduct which is	o the other reac s required	tants	
13 -	(A) water	ed as drying agent in a de (B) CaCl ₂ hybridization.	esiccator. (C)	silica gel	(D) phosp	horus pentoxide
14 -	(A) sp ²	(B) sp ³ methane and oxygen are n	(C)	sp	(D) sp^3c	d
	(A) $\frac{1}{3}$	(B) $\frac{8}{9}$	(C)	$\frac{1}{9}$	(D) $\frac{16}{17}$	
16 -	$(A) -10^{\circ}C$ and	a gas from ideal behaviou 5.0 atm (B) -10°C and	2.0 atm (C)	100° C and 2.0) atm (D) 0°C	and 2.0 atm
17 -	is a pseu (A) CaF ₂	ido solid. (B) glass	(C)	NaCl	(D) sug	
	¥	y	/		215-(III)	-3 <i>22</i> -31000

e les

CHEMISTRY

(Intermediate Part-I, Class 11th) 322

Paper I

(Group - I)

Time: 2:40 Hours

SUBJECTIVE

GUZG1-22

Marks: 68

Note: Section I is compulsory. Attempt any THREE (3) questions from Section II.

(SECTION - I)

2. Write short answers to any EIGHT questions.

 $(2 \times 8 = 16)$

- i What is molecular ion? Write down formulas of any two of these ions.
- ii Differentiate between empirical and molecular formula.
- iii Mg (Magnesium) atom is twice heavier than C (Carbon) atom. Justify.
- iv How crystals are dried in vacuum desiccator?
- v What is R_f value? Why does it has no units?
- vi What is partition chromatography?
- vii Convert -40 °C into Fahrenheit scale.
- viii Define absolute zero temperature.
 - ix "Water vapours do not behave ideally at 273 K". Explain it.
 - x What is Le-chatelier's principle?
 - xi Define solubility product.

xii - Prove that
$$Ka = \frac{[H_3 O^+][A^-]}{[HA]}$$
.

3. Write short answers to any EIGHT questions.

 $(2 \times 8 = 16)$

- i Boiling needs a constant supply of heat. Give reason.
- ii The vapour pressures of solids are far less than those of liquids. Why?
- iii Define symmetry. Give its elements.
- iv What are ionic solids? Give two examples.
- v Whichever gas is used in the discharge tube, the nature of cathode rays remains the same. Why?
- vi What is the origin of line spectrum?
- vii State Pauli's exclusion principle.
- viii Write down names of two spectral series alongwith their regions.
 - ix The concentration in terms of molality is independent of temperature but molarity depends upon temperature . Why?
 - x Define hydrolysis. Give an example.
 - xi What is activated complex?
- xii What is half-life period? Give an example.

4. Write short answers to any SIX questions.

 $(2 \times 6 = 12)$

- i Write Lewis structures of i) CCl₄ ii) HCN
- ii Why Noble gases don't form chemical bonds?
- iii O2 shows paramagnetic behavior; why?
- iv Why CH₄ does not form co-ordinate covalent bond but H₂O can form?
- v Is it true that non spontaneous process never happens in the universe?
- vi What does the symbol ΔH_n^0 denote? Define this quantity.
- vii Burning of candle is spontaneous process; brief it.
- viii What is difference between primary and secondary cell?
 - ix SHE acts as cathode when connected with zinc; why?



(Turn Over)

(SECTION - II) GUZ-41-22

Note: Attempt any THREE (3) questions from Section II	
(a) Define yield. How theoretical and practical yield can be calculated?(b) Define quantum numbers. Explain azimuthal quantum number in detail.	(1+3) (1+3)
6. (a) Calculate the density of CH ₄ (g) at 0°C and 1 atm pressure. What happens to density if the pressure is increased to 2 atm at 0°C?	the (4)
(b) Explain the construction of lead accumulator. Give its discharging process.	(4)
7. (a) Draw the molecular orbital diagram for O ₂ and explain its paramagnetic beha (b) How the enthalpy of a reaction can be measured by using glass calorimeter?	aviour. (2+2) (3+1)
 8. (a) What are London forces? Write down factors affecting them. (b) Calculate the pH of a buffer solution in which 0.11 molar CH₃COONa and 0.09 molar acetic acid solution are present. K_a for CH₃COOH is 1.85 x 10⁻⁵. 	(1+3) (1+1+1+1)
9. (a) Differentiate betweeni) Ideal and non-ideal solutions.ii) Hydration and hydrolysis	(2+2)
(b) Define catalysis. Explain its types with suitable examples.	(1+3)
	215-322-31000

Da	II No	of Candidate:		
		STRY (Intermediate Part-I, Clas	s 11 th) 322 - (IV)	Paper I (Group - II)
		0 Minutes OBJECTIVE		
Not	te: You fill cire	u have four choices for each objective type question as that circle in front of that question number. Use marker cles will result in zero mark in that question. Attempt er and leave others blank.	A, B, C and D. The choice or pen to fill the circles. C	e which you think is correct Cutting or filling two or more
1.	1 -	The pH of 10 ⁻³ mol.dm ⁻³ of an aqueous solution of	f H ₂ SO ₄ is	
		(A) 1.5 - (B) 2.0	(C) 3.0	(D) 2.7
	2 -	substance is used as decolourizing agent in		
		(12)	(C) CaCl ₂	(D) H_2SO_4
		Bohr model of atom is contradicted by	(D) 1-1-4/	ttan
		(A) planks quantum theory	(B) dual nature of mat (D) all of these	itter
		(C) Heisenberg's uncertainty principle		
		When water freezes at O°C its density decreases due	(B) changes bond leng	oth
		(A) cubic structure of ice(C) empty spaces present in structure of ice	(D) changes bond ang	
		The largest number of molecules are present in		
	ij -	(A) $3.6 \text{ g of } \text{H}_2\text{O}$ (B) $4.8 \text{ g of } \text{C}_2\text{H}_5\text{OH}$	$\sqrt{(C)}$ 2.8 g of CO	(D) $5.4 \text{ g of } N_2O_5$
	6 -	An aqueous solution of ethanol in water may have ve		
		(A) equal to that of water	(B) more than that of	fwater
		(C) equal to that of ethanol	(D) less than that of	water
	7 -	is a pseudo solid.		m) viai
		(A) glass (B) CaF ₂	(C) NaCl	(D) HCl
	8 -	Orbitals having same energy are called		1. (D) valonce orbitale
		(A) degenerate orbitals (B) S and P orbitals	(C) molecular orbital	ls (D) valence orbitals
	9 -	In Sp ³ hybrid orbital "S" character is	(C) \\75%	(D) 100%
	10.10	(A) 25% (B) 50%	` '	(D) 10070
		Number of molecules in one drh ³ of water is close to (A) $\frac{6.02}{22.4} \times 10^{23}$ (B) $\frac{12.04}{22.4} \times 10^{23}$	(C) $\frac{18}{22.4} \times 10^{23}$	(D) $55.6 \times 6.02 \times 10^{23}$
	11 -	Solvent extraction is an equilibrium process and is c	controlled by	(D) was a facility
		(A) law of mass action (B) amount of solvent use	d (C) distribution law	(D) amount of solute
	12 -	If the rate equation of a reaction 2 A+B \rightarrow pro	educts is, rate $= K[A]$	[B] and A is present
		in large excess then order of reaction is	(C) 2	(D) 4
		(A) 1 (B) 2	(C) 3	(D) 4
	13 -	The number of bonds in nitrogen molecule is (A) one σ and one π (B) one σ and two π	(C) three sigma only	(D) two σ and one π
		How many subatomic particles are thought to exist	in an atom.	(-)
	14 -		(C) 50	(D) 100
	15	Stronger the oxidizing agent greater is the		, ,
	15 -	(A) redox potential (B) E.M.F. of cell	(C) oxidation potentia	d (D) reduction potential
	16 -/	The molar volume of CO ₂ is maximum at(A) STP (B) 127° C and 1 atm	_	
		(A) STP (B) 127° C and 1 atm	(C) $O^{\circ}C$ and 2 atm	\setminus (D) 273 $^{\circ}$ C and 2 atr
	17-	For the reaction NaOH + HCl	the enthalpy change is ca	alled
/	/	(A) heat of reaction (B) heat of formation	(C) heat of neutraliza	ation (D) heat of combustio
				216-(IV)-322 -31000

CHEMISTRY

(Intermediate Part-I, Class 11th) 322

Paper I

(Group - II)

Time: 2:40 Hours

SUBJECTIVE

Marks: 68

Note: Section I is compulsory. Attempt any THREE (3) questions from Section II.

(SECTION - I)

2. Write short answers to any EIGHT questions.

 $(2 \times 8 = 16)$

- i What is mass spectrum?
- ii One mole of H₂SO₄ should completely react with two moles of NaOH. How does Avogadro's number help to explain it?
- iii Define limiting reactant. Give an example.
- iv Write down the names of any four major steps involved in drystallization.
- v What is ether extraction?
- vi What is paper chromatography? Name its two types.
- vii What is mean square velocity?
- viii Where is plasma found?
 - ix Derive Charle's law from kinetic molecular theory of gases.
 - x What is common ion effect? Give an example.
 - xi Write down the Henderson's equation to determine the pH of a buffer solution.
- xii Define solubility product. Give an example.

3. Write short answers to any EIGHT questions.

 $(2 \times 8 = 16)$

- i Ionic crystals are highly brittle. Justify it.
- ii Cleavage of the crystals is itself anisotropic behaviour. Justify it.
- iii Diamond is hard and an electrical insulator. Justify it,
- iv Boiling needs a constant supply of heat. Justify it.
- v How the C_{29}^{65} can be converted into C_{30}^{66} .
- vi What is Zeeman effect?
- vii Define Moseley's law and give its relationship/equation.
- viii Define Pauli's exclusion principle.
- ix Define parts per million (PPM) and give its expression.
- x Define critical solution temperature and give an example.
- xi What is catalytic poisoning? Give an example.
- xii Define catalysis and give two examples of catalysed reactions.

4. Write short answers to any SIX questions.

 $(2 \times 6 = 12)$

- i Why the molecules of BF₃ are triangular planar?
- ii Define covalent radius. Give one example.
- iii Define shielding effect. How it varies across the period?
- iv Define coordinate covalent bond Give one example.
- v Differentiate between endothermic and exothermic reaction.
- vi What is lattice energy? Give one example.
- vii Enthalpy of neutralization of a strong acid and a base is always -57.5 K cal mole⁻¹. Why?
- viii Calculate the oxidation number of chromium in the following compounds:
 - a) CrO₃
- b) Cr₂O₃
- ix Define oxidation state. Give example.

(Turn Over)

(SECTION - II)

Note: Attempt any THREE (3) questions from Section II..

445-92-22

5.	(a) Explain the concept of limiting reactant with a suitable example.	1+1+2 (4)
	Also write down steps to identify a limiting reactant.	
	(b) Define quantum numbers and explain in detail azimuthal quantum number.	1+3 (4)
6.	(a) 250 cm ³ of the sample of hydrogen effuses four times as rapidly as 250 cm ³	(4)
	of an unknown gas. Calculate the molar mass of unknown gas.	
	(b) Discuss any two industrial importance of electrolytic process.	(4)
7.	(a) Explain the geometry of NH ₃ using hybridization.	3+1 (4)
	(b) State and explain Hess's law of constant heat summation with an example.	1+3 (4)
8.	(a) Brief about structure of ice.	(4)
	(b) Calculate the pH of buffer solution in which 0.11 M CH ₃ COONa and	(4)
	0.09 M CH ₃ COOH solutions are present while ka for CH ₃ COOH is 1.85 x 10 ⁻³	
9.	(a) What is solubility curve? Discuss its types with examples.	(4)
	(b) What in catalysis? Give any three characteristics of catalyst with examples.	(4)
		216-322-31000