



Roll No \_\_\_\_\_ to be filled in by the candidate

(For All Sessions)

Paper Code 6 1 R 6

## Statistics (Objective)

Time: 20 Minutes Marks : 17

Rwp-11-23

Note:- Write answers to the questions on the objective answer sheet provided. Four possible answers are given. Which answer you consider correct fill the corresponding circle A,B,C or D in front of each question with marker or ink on the answer sheet provided.

- 1.1 The range of probability is between :  
(A) 0 to 1 (B) -1 to +1 (C) 0 to  $\infty$  (D)  $-\infty$  to 0
2. Random numbers can be generated :  
(A) Manually (B) Mechanically (C) Both (A) & (B) (D) None of these
3. If C is constant, then E (C) = \_\_\_\_\_  
(A) C (B) zero (C) 1 (D) None of these
4. In a binomial experiment, the successive trials are :  
(A) Fixed (B) Dependent (C) Independent (D) All of these
5. The mean and variance of Binomial distribution are :  
(A) np & npq (B) n & p (C) np &  $\sqrt{npq}$  (D) np &  $\sqrt{np}$
6. The mean of hyper geometric distribution is:  
(A)  $\frac{nN}{K}$  (B)  $\frac{NK}{n}$  (C)  $\frac{nK}{n}$  (D)  $\frac{n+K}{N}$
7. At present word statistics is used in \_\_\_\_\_ senses.  
(A) 2 (B) 3 (C) 4 (D) None of these
8. A statistical table has at least \_\_\_\_\_ parts.  
(A) 5 (B) 4 (C) 3 (D) 2
9. Median divides the data into \_\_\_\_\_ parts.  
(A) 2 (B) 4 (C) 10 (D) 100
10. The most frequent value of data if it exists is :  
(A) Mode (B) Median (C) Mean (D) Geometric Mean
11. The mean is based on :  
(A) Small values (B) Large values (C) All values (D) None of these
12. For a symmetrical distribution,  
(A)  $\beta_1 = 0$  (B)  $\beta_1 = 3$  (C)  $\beta_1 = -1$  (D)  $\beta_1 = -3$
13. Mean deviation of the values 4,4,4,4, is :  
(A) zero (B) 4 (C) 8 (D) 12
14. The standard deviation of 8,8,8,8,8 is  
(A)  $\sqrt{8}$  (B) 8 (C) Zero (D)  $(8)^2$
15. Which is the most suitable average in chain base method?  
(A) AM (B) GM (C) HM (D) Median
16. CPI is the abbreviation of \_\_\_\_\_ Price Index.  
(A) Consumer (B) Constant (C) Current (D) Special
17. A coin and a die can be thrown together in \_\_\_\_\_ ways.  
(A) 2 (B) 12 (C) 8 (D) 24

Roll No \_\_\_\_\_ to be filled in by the candidate

**Statistics (Subjective)**

Time: 2:40 Hours Marks : 68

Section - I

*Rwp-11-23*

2. Give short answers of any eight parts from the following .

2x8=16

- (i) What is Inferential Statistics.
- (ii) Define data with an example.
- (iii) What are demerits of the Harmonic Mean?
- (iv) Find A.M. when  $D = X - 20$ ,  $n = 30$  and  $\sum D = 60$ .
- (v) What is fixed base method to find index numbers?
- (vi) What are consumer price index numbers?
- (vii) What is the mode in the data 3,7,8,8,4,3,2 and 3?
- (viii) Write two merits of Mode.
- (ix) What are the simple index numbers?
- (x) Given that Laspeyre's index = 140 and Paasche's index = 142. Find Fisher's index.
- (xi) Find the value of mode in symmetrical distribution when the value of Mean and Median is 10 each.
- (xii) Find G.M. when A.M. and H.M. of two values are 64 and 4 respectively.

3. Give short answers of any eight parts from the following .

2x8=16

- (i) Explain pie Chart in your own words.
- (ii) What do you mean by skewed distribution?
- (iii) Describe the measure of dispersion.
- (iv) Define quartile deviation with formula.
- (v) Narrate any two properties of standard deviation.
- (vi) What do you mean by mesokurtic distribution?
- (vii) Explain empirical definition of probability.
- (viii) Distinguish between the terms sample point and outcome.
- (ix) If two fair coins are tossed, find the probability of getting no heads.
- (x) Suppose  $P(A) = \frac{1}{3}$ ,  $P(A \cup B) = \frac{1}{2}$  and  $P(A \cap B) = \frac{1}{10}$ . Find  $P(B)$ .
- (xi) Given that  $n = 10$ ,  $\sum(X-15) = -20$  and  $\sum(X-15)^2 = 524$ . Find variance.
- (xii) Given that mean = 50, median = 43 and coefficient of skewness = 1. Find the value of variance.

4. Give short answers of any six parts from the following.

2x6=12

- (i) What do you mean by expected value of a random variable?
- (ii) Define random variable.
- (iii) Describe the properties of the probability distribution.
- (iv) What is a Bernoulli trial?
- (v) What is the mean and variance of hypergeometric distribution?
- (vi) Describe two properties of binomial experiment.
- (vii) If  $p = \frac{1}{3}$ ,  $n = 15$ , what will be the mean and variance of binomial distribution?
- (viii) Given  $f(x) = \frac{x}{10}$ ,  $x = 1, 2, 3, 4$ . Show that  $f(x)$  is a probability function.
- (ix) If  $X$  is hypergeometric r.v. with  $N = 10$ ,  $n = 4$  and  $k = 3$ , find  $P(X = 1)$ .

Section - II

Note:- Attempt any three question from the following.

8x3=24

5. (a) Find arithmetic mean from the following data:

4 + 4 = 8

Classes	0-10	10-40	40-90	90-140
f	40	110	150	70

(b) The reciprocal of X values are given below :

0.0500, 0.0454, 0.0400, 0.0333, 0.0285. Find Geometric Mean of X.

6. (a) First three moments of distribution about  $X = 2$  are 1, 2.5, and 5.5. Calculate Mean and Coefficient of Variation

4 + 4 = 8

(b) Compute the coefficient of skewness from the given data :

Groups	0-10	10-20	20-30	30-40
f	4	12	7	2

4 + 4 = 8

7. (a) Compute link relatives and chain indices :

Years	2017	2018	2019	2020	2021	2022
Prices	146	151	158	171	179	190

(b) A pair of dice are rolled. Find the probability that the sum of the uppermost dots is either 6 or 9.

8. (a) A fair coin is tossed three times. Let  $X$  be a random variable which denotes the number of heads. What is the probability distribution of  $X$ ?

4 + 4 = 8

(b) A continuous random variable  $X$  has probability density function :

$$f(x) = C \cdot x \quad \text{for } 0 < x < 2$$

$$\text{Calculate (i) } C \quad \text{(ii) } P(1 < x < 1.5)$$

9. (a) A bag contains 4 red and 6 black balls. A sample of 4 balls is selected from a bag without replacement. Let  $x$  be the number of red balls. Find the probability distribution of  $X$ .

4 + 4 = 8

(b) In a binomial distribution with  $n = 5$ , what is the value of other Parameters if  $P(X = 0) = P(X = 1)$ . Find its Mean and variance.