Paper Code MTN-11-G11-182018 (A) Roll No.				
<b>-</b>   . `	ONED CONTRACTOR OF THE PROPERTY OF THE PROPERT			Roll No
Numb	er: 2481	INTERMEDIAT	ΓE PART-I (11 <sup>th</sup> C	(LASS)
	MISTRY PAPI	ER-I (NEW SCH	EME) GRO	OUP-I
	ALLOWED: 20 N	Minutes	OBJECTIVE	MAXIMIM MADVS. 17
think is	You have four choi correct, fill that bu	ces for each objective	e type question as A, I	B, C and D. The choice which you
Cutting	think is correct, fill that bubble in front of that question number. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question. Attempt as many questions as given in objective type question pener and leave the pener and pene			
B	objective type q	ucsuon paper and le	ave others blank. No is on this sheet of OB.	credit will be smanded!
Q.110.1			is on this sheet of OD	JECTIVE PAPER.
(1)		n is in the range of:-		
	(A) $2 \times 10^{-9} m$		(C) $2 \times 10^{-11} m$	(D) $2 \times 10^{-12} m$
(2)	is used as	antifreeze in radiator	of automobile.	
	(A) Aspartame	(B) Ethylene glycol		(D) Hydrazine
(3)		aturated solution make		
	(A) Dilute	(B) Super saturated	(C) Opaque	(D) Unsaturated
(4)	gas has low	vest rate of diffusion.		
	(A) He	(B) $H_2$	(C) O <sub>2</sub>	(D) N <sub>2</sub>
(5)	The strongest acid	among Halogen acids	is:-	
	(A) <i>HCℓ</i>	(B) HBr	(C) <i>HI</i>	(D) HF
(6)	Dipole-induced di	pole forces are also ca	alled:-	
	(A) Dipole-dipole	forces (B) Ion-dipole	forces (C) Debye for	rces (D) London dispersion forces
(7)	$1\overset{\circ}{A} = \underline{\qquad} m$		(A) 10 <sup>-10</sup> (B) 10 <sup>-10</sup>	(C) $10^{-12}$ (D) $10^{-13}$
(8)	The maximum nu	mber of unpaired elect		(2)
	(A) $Fe = 26$	(B) $Ni = 28$	(C) $Cr = 24$	(D) $Na = 11$
(9)	element has	highest value of electr	on affinity.	
	Manager and American American		(C) Bromine	(D) Iodine
(10)	In ethyne molecule	the number and natur		
	(A) One sigma two	pi (B) Two sigma	one pi (C) Three sig	gma two pi (D) Two sigma two pi
(11)				and at constant volume $(q_y)$ are
				(C) $q_p > q_v$ (D) $q_p = \frac{q_v}{2}$
(12)			$(B) q_p < q_v$	(c) $q_p > q_v$ (D) $q_p = \frac{1}{2}$
(12)	affects the v			
	(A) Concentration	=	(C) Catalyst	(D) Pressure
(13)				oduct at a particular temperature then
il autori				C) Very dilute (D) Super saturated
(14)	1	•		ring of vapour pressure is equal to:-
	(A) $\frac{1}{51}$	(B) $\frac{1}{5}$	(C) 5.1	(D) 6
(15)	The number of water	er molecules in CuSO	$1.5H_2O$ attacked with	$Cu^{2+}$ ion:-
	(A) One	(B) Two	(C) Three	(D) Four
(16)	Anode and cathode	in alkaline cell is mad	de up of respecti	vely.
	(A) $MnO_2$ and $Zn$	(B) $Pb$ and $PbO_2$	(C) $Zn$ and $Ag_2O$	(D) $Zn$ and $MnO_2$
(17)	Half life of a second	d order reaction is inve	ersely proportional to:-	
*	(A) Initial concentr		(B) Final concentrati	on of reactants
	(C) Initial concentr	ation of products	(D) Final concentrati	on of products
(17)	Half life of a second (A) Initial concentr	d order reaction is invertion of reactants	ersely proportional to:- (B) Final concentrati	on of reactants

	MTN-11-01-18 <sub>2018 (A)</sub> Roll No:	
/ .	INTERMEDIATE PART-I (11th CLASS)	
CHEMI	ISTRY PAPER-I (NEW SCHEME) GROUP-I	
TIME A	LLOWED: 2.40 Hours SUBJECTIVE MAXIMUM N	ARKS. 68
	Write same question number and its part number on answer book,	nuco. oo
	as given in the question paper.	
	SECTION-I	
2.	Attempt any eight parts.	$\times$ 2 = 16
(i)	Define Relative Atomic Mass and Atomic Mass Unit.	
(ii)	$N_2$ and $CO$ have the same number of electrons, protons and neutrons. Justify it.	
(iii)	Actual Yield is usually less than Theoretical Yield. Why?	
(iv)	Write any four characteristics of a good solvent for crystallization.  Define Solvent Extraction and Partition Law.	
(v) (vi)	Derive Avogadro's Law from Kinetic Molecular theory of gases.	
(vii)	Define Joule-Thomson effect and Critical temperature of a gas.	
(viii)		
(ix)	Define Law of Mass Action and Equilibrium Constant $(K_C)$	
(x)	Why do we need buffers in daily life?	
(xi)	What is Lowry-Bronsted concept of acids and bases?	
(xii)	Define Solubility Product Constant $(K_{SP})$	
3.	3 34 2	$3 \times 2 = 16$
(i)	State Electron Pool Theory.	
(ii)	What is Transition Temperature? Give an example.	
(iii)	Give two uses of Liquid Crystals.	
(iv)	Give reason that Earthenware Vessels keep water cool.	
(v)	How nature of bond can be determined by electronegative values?	
(vi) (vii)	Why Ionic radius is greater than Atomic radius? Write two points of Valence Bond theory.	
(viii)		
(ix)	Define System and Surrounding.	
(x)	What is Standard enthalpy of Neutralization? Give an example.	
(xi)	What is meant by Water of Crystallization? Give two examples.	
(xii)	Aqueous solution of CuSO <sub>4</sub> is acidic in nature. Explain.	
4.	Attempt any six parts.	$6\times 2=12$
(i)	Why is the $\frac{e}{}$ value for the positive rays always smaller that that of cathode rays?	
	$\boldsymbol{m}$	
(ii)	The potential energy of an electron in an atom is negative. Give reason.	
(iii)	What is fine structure of Hydrogen spectrum?  State Heisenberg's uncertainty principle. Give its mathematical formula.	
(iv) (v)	What is Anodized Aluminium? Give its advantages.	
(vi)	Write reactions taking place at anode and cathode in silver oxide battery.	14
(vii)		
(viii)	What are reaction intermediates? Give one example.	v <sup>e</sup>
(ix)	Name four physical methods for the determination of rate of a chemical reaction.	
	SECTION-II	$3 \times 8 = 24$
NOTE:	- Mitchipt and this of dataseas.	$3 \times 8 = 24$
	Define boiling point and how does it is effected by external pressure? Explain briefly.	- T
	A mixture of two liquids, hydrazine $(N_2H_4)$ and $N_2O_4$ are used in rockets. They produce	
	$N_2$ and water vapours. How many grams of $N_2$ gas will be formed by reacting 100 g of	
	$N_2H_4$ and 200 g of $N_2O_4$ $2N_2H_4 + N_2O_4 \rightarrow 3N_2 + 4H_2O$	4
6.(a)	Define critical temperature of gases. What is its importance in liquefaction of gases?	4
	Discuss Linde's method of liquefaction of gases.	
(b)	What are $x - \text{rays}$ ? What is their origin? How was the idea of atomic number derived from discovery of $x - \text{Rays}$ and Moseley's Law	4
	from discovery of $x$ – Rays and Moseley's Law. Define atomic orbital Hybridization. Explain $Sp^2$ – Hybridization with	18
7.(a)		4
	the help of $BF_3$ molecule.	4
(b)	How enthalpy of reaction can be measured by Bomb-Calorimeter?	4
8.(a)	Explain Lowry Bronsted Acid and Base concept. Explain giving examples.  Write any four applications of electrochemical series.	4
(b) · 9.(a)	The boiling point of a solution containing 0.2 g of a substance 'A' in 20.0g of	1.00 <b>.</b> €6
J.(a)	ether(molar mass = 74) is 0.17 K higher than that of pure ether.	
98	Calculate the molar mass of 'A'. Molal boiling point constant of ether is 2.16 k.	4
(b)	Dafina Catalysis Differentiate between Hamageneous catalysis and Heterogenous cata	lveis

Paper Code MTN-11-C12-18				
Pap	er Code	201	8 (A)	Roll No.
Nur	nber: 2484	INTERMEDIAT	E PART-I (11th CLAS	SS)
IIM Note	E ALLOWED: 20 E: You have four ch	PER-I (NEW SCHE Minutes	ME) GROUP- OBJECTIVE	-II MAXIMUM MARKS: 17
Cutti is giv BUBI Q.No.	ng or filling two or i en in objective type BLES are not filled. .1	more bubbles will result question paper and leav Do not solve questions	in zero mark in that queste others blank. No credition this sheet of OBJECT	rker or pen to fill the bubbles. stion. Attempt as many questions it will be awarded in case TVE PAPER.
(1)	If 5.85 g of NaCl	(Mol. mass 58.5) is dissol-	ved in 90 g of $H_2O_2$ , the m	nole fraction of NaCl will be:-
	(A) 0.01	'(B) 0.1	(C) 0.0196	(D) 0.3
(2)	The molal boiling p	point constant is the ratio	of the elevation of boiling	noint to:
	(A) Molarity			nt (D) Mole fraction of solute
(3)	Fuel cell convert of	chemical energy into:-	( ) more fraction of solver	it (D) Mole fraction of solute
		gy (B) Light energy	(C) Heat energy	(D) Martar train
(4)		for Hydrolysis of urea is:-		(D) Mechanical energy
	(A) Invertase	(B) Urease	(C) Lipase	(D) 7
(5)	Atom of el	ement has independent ex		(D) Zymase
	(A) Fluorine	(B) Krypton	(C) Oxygen	(D) NII.
(6)	In combustion and	alysis, $H_2O$ vapours are a	10 500 and 10 control of the control	(D) Nitrogen
	(A) 50 % KOH			
(7)		20 t	(C) $Mg(ClO_4)_2$	(D) SiO <sub>2</sub>
(7)	in techniq	ue a solute distribute betv	veen two immiscible liquid	is.
<b>(0</b> )		(B) Solvent extraction	(C) Filtration	(D) Distillation
(8)		ssure is expressed in:-		
	(A) Nm <sup>-1</sup>	(B) $Nm^{-2}$	(C) $Nm^{-3}$	(D) mmHg
(9)	is molecula	ar solid.		, , , ,
	(A) NaCl	(B) CO <sub>2</sub> dry ice form	(C) Diamond	(D) Aluminium nitride
(10)	Transition tempera	ature of KNO <sub>3</sub> is:-		
	(A) 13.2°C	(B) 95.5°C	(C) 128°C	(D) 32.02°C
(11)	Orbitals having san	ne energy are called:-	(0) 120 0	(D) 32.02 C
		(B) Valence orbitals	(C) Degenerate orbit	tala (D) d antitala
(12)			bjected to strong electric f	
	(A) Zeeman effect			
(13)	has net dipo		(C) Filotoelectric en	ect (D) Compton effect
		(B) <i>BF</i> <sub>3</sub>	(C) ŸU	m) 40
(14)	is not parama		(C) <i>NH</i> <sub>3</sub>	(D) CO <sub>2</sub>
(17)				
		(B) O <sub>2</sub>	(C) $N_2^{-2}$	(D) None of these
(15)	is not state fi			
	(A) Pressure	(B) Volume	(C) Temperature	(D) Heat
16)	The sum of $P^H$ and	POH at 25°C always eq	ual to:-	
	(A) 7	(B) Zero	(C) 14	(D) 10 <sup>-14</sup>

(C)  $mol^{-2}dm^6$  (D)  $mol^{-2}dm^{-3}$ 

(17) The units for kw of  $H_2O$  are:-

(B)  $mol^2dm^{-6}$ 

MTN-11-612-18 2018 (A)

Roll No:

	IN	TEDMEDIA	Koll N
CHEMISTRY	PAPEDI	TERMEDIATE PART	-I (11th CLASS)
TIME ALLOWE	TALEK-I	(NEW SCHEME)	CROUD IT

TIME ALLOWED: 2.40 Hours

SUBJEC

MAXIMUM MARKS: 68

NOTE: - Write same question number and its part number on answer book, as given in the question paper.

;	2.	Attempt any sight and SECTION-I	
	(i)	Attempt any eight parts.  Mg – atom is twice heaviered	$8 \times 2 = 16$
	(ii)	Mg – atom is twice heavier than that of C – atom why?	0 × 2 - 10
	(iii)	Define Atomicity. Give two examples.	
	(iv)	and mass in grains of / /4 moles of VII o	
	(v)	we dividial (ined light filter o or	
	(vi)	Write any four properties of a good solvent.  Derive Avogadro's law from Kington	
	(vii)	Derive Avogadro's law from Kinetic equation(KM,T).  Gases deviate from ideal behaviour results.	
	14 Marie 20	Gases deviate from ideal behaviour more significantly at high pressure and low	temperature.
	(viii)	Water vapours do not behave ideally a oza t	
	(ix)	The outween reversible and impressed in	
	(x)	and durier solutions act?	1
	(xi)	Calculate the pH of $10^{-4}$ mol dm <sup>-3</sup> of HC $\ell$ .	
•	(xii)	Explain that a mixture of NH, OH and NH, Cl. gives yet the training	
3.	<i>(</i> *)		
	(i)	What is meant by Hydration?	$8\times2=16$
	(ii)	Define critical solution temperature or upper consultation	
	(iii) (iv)		
	(v)	isomerism is not possible in ionic company to the	
	(vi)	bolld leligul is effected by change of hybrid:	
	(vii)	molecula	
	(viii)	What are Exothermic Reactions? Give example.  Define State Function.	
	(ix)	District State Function.	
	(x)	Why metals are good conductor of electricity?	
	(xi)	What are "dipole – induced dipole forces"?	
	(xii)	Ice has less density than liquid water. Why?	
4.		Attempt any six parts.	
	(i)	Give two defects in Bohr's etomic model	$6\times 2=12$
	(ii)	whatever gas is used in the discharge tale.	
	(iii) (iv)	The positive rays are also called canal rays. Why?	ns the same. Why?
		Dolling I leischberg's Uncertainty Deinsials and	
	(vi)	Define Oxidation and Oxidation Number.	
	(vii)	Lead accumulator is a rechargeable battery. Prove.	
	(viii)	'Na' and 'K' can displace Hydrogen from acids but 'Pt', 'Pd' and 'Cu' can not Radioactive decay is always a first order reaction. Let's	, why?
	(ix)	Radioactive decay is always a first order reaction. Justify it.  What is Negative Catalysis? Give one example.	ta 1053 <b>*</b> 11
		Charles one example.	
NO'	TE: - A	Attempt any three questions.	
5.(a)	Av	well known metal $M$ reacts with $S$ to form a compound $M_2S_3$ . If 3.12 g of $M$ (notes with exactly 2.88 g of $S$ (Sulphur), what are the	$3 \times 8 = 24$
	reac	ets with exactly 2.88 g of $S(Sulphyr)$ and $S(Sulphyr)$ and $S(Sulphyr)$ and $S(Sulphyr)$ and $S(Sulphyr)$	netal)
		its with exactly 2.88 g of S (Sulphur), what are the names of metal $M$ and compound $M_2S_3$ .	
(b)	Def	fine ionic solids. Give three properties of ionic solids.	4
6.(a)	Der	ive General Gas Equation and also give expression for density of a gas.	4
(h)	Eve	daia Milli	4

6 Explain Millikan's oil drop experiment to determine the charge of an electron. (b) Define Hybridization and explain  $sp^2$  – hybridization 7.(a) 4 Describe Glass Calorimeter for determination of enthalpy of a substance. (b) 4 State Le-Chatelier's Principle. Discuss the effect of change in pressure 8.(a) on equilibrium position. Describe Zn - Cu Galvanic Cell and explain the function of salt bridge. (b) 9.(a) Derive Arrhenius Equation. 9.2 molar  $HClO_4$  is available from the market. The density of this solution is  $1.54g\,Cm^{-3}$ . (b) 4 What is the percentage by weight of  $HClO_4$ ? 4 22-2018(A)-14000 (MIII.TAN)