JH=C

Roll No.			ļ	l
11011110.	1			

(To be filled in by the candidate)

Chemistry

H.S.S.C (11th)-A-2022

Time : 20 Minutes

Paper: I

Group: II

Objective - (i)

Marks: 17

Ch-IAT SLIL- GD 22

Paper Code 6

8

Note: - You have four choices for each objective type question as A, B, C and D. The choice which you think is correct; fill that circle in front of that question number in your answer book. Use marker or pen to fill the circles. Cutting or filling up two or more circles will result no mark.

	EC		
-			

Q.1	Questions	A	В	C	. D
1.	The largest number of molecules are present in:	3.6g of H ₂ O	4.8g of C ₂ H ₅ OH	2.8g of CO	5.4g eQV.
2.	The number of isotopes of Tin are:	9	11	. 6	33
3.	The drying agent used in vacuum desiccator is:	Silica gel	NaCl	AgCl	I_2
4.	Solvent extraction method is a particularly useful technique for separation when the product to be separated is:	Non-volatile or thermally unstable	Volatile or thermally stable	Non-volatile or thermally stable	Volatile or thermally unstable
5.	The deviation of a gas from ideal behaviour is maximum at:	-10°C and 5.0 atm	-10°C and 2.0 atm	100°C and 2.0 atm	0°C and 2.0 atm
6.	Equal masses of methane and oxygen are mixed in an empty container at 25 °C. The fraction of total pressure exerted by oxygen is:	13		1/9	16 17
7.	When water freezes at $0^{\circ}C$, its density decreases due to:	Cubic structure of ice	Empty spaces present in the structure of ice	Change of bond lengths	Change of bond angles
8.	Acetone and chloroform are soluble in each other due to:	intermolecular hydrogen bonding	Instantaneous dipole	lon dipole interaction	Dipole-dipole forces
9.	When 6d orbital is complete, the entering electron goes into:	1/2/	. 7 <i>s</i>	7 p	7 <i>d</i>
10.	In the ground state of an atom; the electron is present:	in the nucleus	In the second shell	Nearest to the nucleus	Farthest from the nucleus
11.	The number of bonds in nitrogen polecule is:	One σ and one π	One σ and two π	Three sigma only	Two sigma and one π
12.	Which of the given species has unpaired electrons in anti-bonding molecular orbitals?	O_2^{2+}	N_2^{2-}	B_2	F_2
13.	The net heat change in a chemical reaction is same, whether it is brought about in two or more different ways in one or several steps. It is known as:	Henry's Law	Hess's Law	Joule's Principle	Law of Conservation of Energy
400	An excess of aqueous $AgNO_3$ is added to a gradient and $BaCl_2$ and precipitate is removed by filtration. What are the main ions in the filtrate?	Ag^+ and NO_3^- only	Ba^{2+} and NO_3^- only	Ag^+, Ba^{2+} and NO_3^-	Ba ²⁺ , NO ₃ and Cl ⁻
15.	18g glucose is dissolved in 90g of water. The relative lowering of vapour pressure is equal to:	1/5	5.1	1 51	6
16.	If a strip of Cu metal is placed in a solution of $FeSO_4$:	Cu will be deposited	Fe is precipitated out	Cu and Fe	No reaction takes place
17.	The rate of reaction:	Increases as the reaction proceeds	Decreases as the reaction proceeds	Remains the same as the reaction proceeds	May decrease or increase as the reaction proceeds

Mich (To be filled in by the candidate) Chemistry H.S.S.C (11th)-A-2022 Time : 2:40 Hours Paper: I Subjective Marks : 68 Note:-Section B is compulsory. Attempt any 3 questions from Section C. **SECTION-B** 2. Write short answers to any Eight parts. $(8 \times 2 = 16)$ i. Law of conservation of mass has to be obeyed during stoichiometric calculations. Justify. What do you mean by molar volume? Give an example. ii. iii. What is empirical formula? Give an example. iv. Define Solvent Extraction and Partition Law. Differentiate between stationary and mobile phase. ٧. Define Sublimate. Give two examples. vi. vii. Explain that the process of respiration obeys the Dalton's law of partial pressure. viii. What is Avogadro's law of gases? ix. Derive the value of R when the pressure is in Nm^{-2} and volume in m^3 . What is the pH of a solution? Write formula to calculate pH of a solution. X. χi. Write the effect of common ion on solubility. Give an example. Define Lowery Bronsted Concept of Acid and Base. XII. 3. Write short answers to any Eight parts. $(8 \times 2 = 16)$ What are dipole-dipole forces? Give example. i. ii. Why ethane (C_2H_6) has higher boiling-point than methane (CH_n) iii. How fish and plants survive under ice for months in winter? iv. Why evaporation causes cooling? ٧. Give two properties of cathode rays. vi. How positive rays are produced? VII. What are slow and fast neutrons? viii. Why Rutherford's model failed? ix. Define Molality. Give its equation. Differentiate between ideal and non-ideal solution in two aspects. X. xi. Give two characteristics of enzyme catalysis. xii. Define Auto Catalyst with an example. Write short answers to any Six parts. 4. (6x2 = 12)i. Cationic radius is smaller than that of its parent atomic radius, why? ii. Explain geometry of H_2S molecule on the basis of VSEPR theory. iii. Define State and State Function. iv. How electronegativity changes in a group? Define Co-ordinate covalent bond with a suitable example. ٧. Burning of a candle is a spontaneous process, justify. ٧i. vii. What do you mean by enthalpy of neutralization? Give a suitable example. viii. What is the function of salt bridge? ix. Define Standard Electrode Potential and how it is represented? **SECTION-C** (EACH QUESTION CARRIES EIGHT (8) MARKS) 5. (a) Write a note on limiting reactant and explain by giving two examples. (2+2)(b) Write down postulates of Bohr's atomic model. (4)6. (a) Describe four applications of electrolysis processes of industrial importance. (4) (b) A gas having a volume of $10 \, dm^3$ is enclosed in a vessel at $0 \, ^{\circ}\mathrm{C}$ and the pressure is 2.5 atm. This gas is allowed to expand until the new pressure is 2atm. What will be the new volume of this gas, if the temperature is maintained at 273K? (4) 7. (a) How the enthalpy of combustion is measured out by bomb calorimeter? (4)(b) Draw out geometry of O_2 , N_2 according to M.O.T. (4)8. (a) What are liquid crystals? Give their three uses. (1+3)(b) The solubility of PbF_2 at 25 °C is $0.64g \ dm^{-3}$. Calculate Ksp of PbF_2 . (4)9. (a) Explain the three statements of Raoult's law. (4)(b) How does Arrhenius equation help us to calculate the energy of activation of a reaction? (4)210-322-A-10000

dream

Roll No.			(To be filled in by the candidate)
NOIL IND.	1 1 1 1	1 1 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Chemistry

H.S.S.C (11th)-A-2022

Time : 20 Minutes

Paper: I

Group: I

Objective - (i)

Ch-145 WL-41-22

Paper Code

8

Marks: 17

Note: - You have four choices for each objective type question as A, B, C and D. The choice which you think is correct; fill that circle in front of that question number in your answer book. Use marker or pen to fill the circles. Cutting or filling up two or more circles will result no mark.

SECTION-A

	SECTION		,	
Questions	A	В	C	D
27g of Al will react completely with how much mass of Q to produce Al_2O_3 .	8g of oxygen	16g of oxygen	32g of oxygen	24g of Ovgen
The comparative rates at which the solutes move in paper chromatography, depends on:	The size of paper	Rf Values of salutes	Temperature of the experiment	chromatographic tank used
During the process of crystallization, the hot saturated solution is:	Cooled very slowly to get large sized crystals	Cooled at a moderate rate to get medium sized crystals	Evaporated to the the crystal of the product	Mixed with an immiscible liquid to get the pure crystals of the product
Which of the given will have same number of molecules at STP?	$280cm^3$ of CO_2 and $280cm^3$ of N_2O	11.2 dm ³ of Q ₂ and 32g of Q	$44 \times \text{of } CO_2$ and $4.2 dm^3 \text{ of } CO_2$	$28g$ of N_2 and $5.6 dm^3$ of oxygen
Acetone and chloroform are soluble into each other due to:	Intermolecular hydrogen bonding	lon dipole interaction	Instantaneous dipole	All of these
Quantum number values for $2p$ orbitals are:	n=2, l=1	n=1, l=2	n=1, l=0	n=2, l=0
The type of hybridization in molecule of ethene $(CH_2 = CH_2)$ is:		sp^3	sp^2	dsp
The change in heat energy of a chemical reaction at a constant temperature and pressure is called:	Enthalpy change	Bond energy	Heat of sublimation	Internal energy
For which system, does the equilibrium constant Kc has units of (concentration, $\frac{1}{2}$).	$H_{2(g)} + 3H_{2(g)} \rightleftharpoons 2NH_{3(g)}$	$H_{2(g)}+I_{2(g)} \rightleftharpoons 2HI_{(g)}$	$2NO_{2(g)} \rightleftharpoons N_2O_{4(g)}$	$2HF_{(g)} \rightleftharpoons H_{2(g)} + F_{2(g)}$
Colligative properties are the properties of:	Dilute solutions which behave as nearly ideal solutions	Concentrated solutions which behave as nearly non-ideal solutions	Both A and B	Neither A nor B
The cathodic reaction in the electrolysis of $dil.H_2SO_4$ with P_t electrode is:	Reduction	Oxidation	Both oxidation and reduction	Neither oxidation nor reduction
The molar volume of ${\it CO}_2$ is maximum at	STP	127°C and 1 atm	0°C and 2 atm	273°C and 2 atm
Which of the given pair do not show isomorphism?	NaNO3,KNO3	ZnSO ₄ , NiSO ₄	Cu,Ag	NaCl ,CuCl ₂
Which one of the given compounds possess ionic bonding?	CaO	CH₄	CH ₃ Cl	C_2H_6
Catalyst for a catalyst is also called:	Promotor	Inhibitor	Poisoning	Retarder
The mass of one mole of electrons is:	1.008 mg	0.55 mg	0.184 mg	1.673 mg
Which of the given sub-atomic particle does not show ionization?	Electron	Proton	Neutron	Alpha ray
	27g of Al will react completely with how much mass of Q to produce Al_2O_3 . The comparative rates at which the solutes move in paper chromatography, depends on: During the process of crystallization, the hot saturated solution is: Which of the given will have same number of molecules at STP? Acetone and chloroform are soluble into each other due to: Quantum number values for $2p$ orbitals are: The type of hybridization in molecule of ethene $(CH_2 = CH_2)$ is: The change in heat energy of a chemical reaction at a constant temperature and pressure is called: For which system, does the equilibrium constant Kc has units of (concentration). Colligative properties are the praperties of: The cathodic praction in the electrolysis of $dil.H_2SO_4$ with Pt electrode is: The molar volume of CO_2 is maximum at: Which of the given pair do not show isomorphism? Which one of the given compounds possess ionic bonding? Catalyst for a catalyst is also called: The mass of one mole of electrons is:	27g of Al will react completely with how much mass of Q to produce Al_2O_3 . The comparative rates at which the solutes move in paper chromatography, depends on: During the process of crystallization, the hot saturated solution is: Which of the given will have same number of molecules at STP? Acetone and chloroform are soluble into each other due to: Quantum number values for $2p$ orbitals are: The type of hybridization in molecule of ethene $(CH_2 = CH_2)$ is: The change in heat energy of a chemical reaction at a constant temperature and pressure is called: For which system, does the equilibrium constant Kc has units of (concentration). Colligative properties are the properties of: The cathodic reaction in the electrolysis of $dil.H_2SO_1$ with P_1 electrode is: The nolawoulume of CO_2 is maximum at which behave as nearly ideal solutions. Which of the given pair do not show isomorphism? Which one of the given compounds possess ionic bonding? Catalyst for a catalyst is also called: Promotor Flootrep. Electrop. Flootrep. The size of paper develowly solve to get a which be a view to get a	27g of Al will react completely with how much mass of Q_2 to produce Al_2Q_3 . The comparative rates at which the solutes move in paper chromatography, depends on: During the process of crystallization, the hot saturated solution is: Which of the given will have same number of molecules at STP? Acetone and chloroform are soluble into each other due to: Quantum number values for $2p$ orbitals are: The type of hybridization in molecule of ethene ($CH_2 = CH_2$) is: The change in heat energy of a chemical reaction at a constant temperature and pressure is called: For which system, does the equilibrium constant K_C has units of (concentration). Colligative properties are the praperties of $dil.H_2SQ_1$ with P_I electrode is: The cathodic raction in the electrolysis of $dil.H_2SQ_2$ with P_I electrode is: The relianvolume of CQ_2 is maximum at which one of the given compounds possess ionic bonding? Catalyst for a catalyst is also called: Promotor Promotor For the mass of one mole of electrons is: 1.008 mg 16g of oxygen Rf Values of salutes Cooled very slowly to get large sized crystals and moderate rate to get medium sized crystals The size of paper displayed by solve the size of paper displayed by of salutes Cooled very slowly to get large sized crystals and moderate rate to get medium sized crystals and moderate rate to get medium sized crystals 11,2 dm³ of Q_2 and 32g of Q_3 and 32g of Q_4	27g of Al will react completely with how much mass of Q_1 to produce Al_2Q_2 . The comparative rates at which the solutes move in paper chromatography, depends on: During the process of crystallization, the hot saturated solution is: During the process of crystallization, the hot saturated solution is: Which of the given will have same number of molecules at STP? Which of the given will nave same number of molecules at STP? Acetone and chloroform are soluble into each other due to: Quantum number values for $2p$ orbitals are: The type of hybridization in molecule of ethene $(CH_1 = CH_2)$ is: The change in heat energy of a chemical reaction at a constant temperature and pressure is called: For which system, does the equilibrium constant Kc has units of (concentration). Colligative properties are the paperties of: The cathodic pacition in the electrolysis of $dil.H_2SQ$ with Pt electrode is: The projection in the electrolysis of $dil.H_2SQ$ with Pt electrode is: The projection in the given pair do not show isohorphism? Which one of the given compounds possess ionic bonding? Which of the given sub-atomic particle Which of the given sub-atomic particle Which of the given sub-atomic particle Promotor Inhibitor Polsoning 16g of oxygen Rf Values of the experiment demoderate at the moderate rate to get moderate rate to get moderate rate to get moderate rate of the experiment demoderate rate to get moderate r

Shifu (To be filled in by the candidate) Roll No. H.S.S.C (11th)-A-2022 Time : 2:40 Hours -C1-23 Subjective Group: I Marks : 68 Section B is compulsory. Attempt any 3 questions from Section C. SECTION-B Write short answers to any Eight parts. (8x2 = 16)Define Relative Atomic Mass also give two examples. How is the law of conservation of mass obeyed during stoichiometric calculations? Why do the isotopes have same chemical but different physical properties? State Distribution Law. How are coloured impurities removed from crystals? Write two uses of chromatography. Prove that d =Calculate the value of R in SI units. Give two applications of plasma. What are buffers? What is the effect of common ion on solubility? How Kc determines the direction of chemical reaction? Write short answers to any Eight parts. (8x2 = 16)Evaporation takes place at all temperatures. Give reason. lodine dissolves readily in tetrachloromethane. Give reason. Define Transition Temperature. Give an example. The electrical conductivity of the metals decreases by increasing temperature. Why? Why is $\frac{e}{m}$ value of cathode rays just equal to that of electron? State Aufbau Principle. State Heisenberg's uncertainty principle. Give its mathematical form. Cathode rays are material particles. Justify it. The sum of mole fractions of all the components is always equal to unity for any solution. Justify it. What are conjugate solutions? Give an example. What is rate determining step? Give an example. Write two characteristics of enzyme catalysis. Write short answers to any Six parts. (6x2 = 12)Why Helium can not exist as diatomic molecule? Draw out Lewis structures of (i) BF_3 (ii) CH The distinction between co-ordinate covalent bond and a covalent bond vanishes after bond formation in NH_{\star}^{+} , explain. Why the dipole moment of CO_2 , is zero? Define Standard Enthalpy of Formation with an example: Is it true, non-spontaneous process never happens in universe? Why burning of candle is spontaneous process? Find out oxidation state of Mn in $KMnO_4$. Why a salt bridge maintains electrical neutrality in the cell? SECTION-C (EACH QUESTION CARRIES EIGHT (8) MARKS) 5. (a) What is yield? Write its types. How will you calculate the percentage yield? (1+1+2)(b) What are quantum numbers? Give importance of azimuthal quantum number. (1+3)6. (a) A gas having a volume of $10 dm^3$ is enclosed in a vessel at $0 \,^{\circ}$ C and the pressure is 2.5 atm. This gas is allowed to expand until the new pressure is 2 atm. What will be the new volume of this gas, if the temperature is maintained at 273K? (4)(b) Write down four applications of electrochemical series. (4) 7. (a) Define hybridization and explain sp^2 hybridization by giving the example of ethene $(CH_2 = CH_2)$ (1+2+1)(b) How the enthalpy of a reaction can be measured by using bomb calorimeter. (4) 8. (a) What is hydrogen bonding? Explain H-Bonding in biological compounds. (1+3)

(b) The solubility of CaF_2 in water at 25 °C is found to be 2.05×10^{-4} mole dm^{-3} . What is the value of K_{sp} at

(b) Define Order of Reaction. Give examples of some reactions explaining the order of reaction.

(4)

(4)

(4)

209-322-A-15000

Chemistry

Paper: I

Note:-

i.

ii.

iii.

iv.

٧.

vi. vii.

viii.

ix.

x.

χi.

xii.

i.

ii.

iii.

iv.

٧. vi.

vii. viii.

ix.

X. xi.

xii. 4.

i.

ii.

iii.

iv.

٧.

vi. vii.

viii.

ix.

this temperature?

9. (a) What is Roult's law? Explain it by three ways.

3.

2.